



Haba & Frères Group
POUR VOTRE SATISFACTION



MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK L	DIMENSIONI SKID SKID DIMENSIONS L, A, P L, W, H	PESO WEIGHT KG	DIMENSIONI CANOPY CANOPY DIMENSIONS L, A, P L, W, H		QUADRO PANEL Man. Auto			
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption 75%				CM	CM	KG	KG	Man.	Auto
	PRP	LTP	PRP	LTP													
CUMMINS																	
15C/30TNE	25	27,5	20	22	X2.5G2	3	N.E.	4,8	90	165x85x160	590	200x85x127,5	720	A3	B3		
15C/40TNE	35	38	28	30,8	X3.3G1	4	N.E.	6,1	90	160x85x160	650	200x85x127,5	780	A3	B3		
15C/110TNE	100	110	80	88	6BTA 5.9G5	6	N.E.	18	250	240x110x200	1340	320x110x209	1390	A4	B4		
15C/150TNE	135	148	108	119	6BTAA 5.9G6	6	N.E.	27	250	240x110x200	1560	320x110x209	1910	A4	B4		
15C/165TNE	150	165	124	136	6BTAA 5.9G7	6	N.E.	29	250	240x110x200	1630	320x110x209	1980	A4	B4		
15C/275TNE	250	275	217	241	6LTAA9.5G3	6	N.E.	42	350	240x110x200	1650	320x110x210	2000	A5	B5		
15C/330TNE	300	330	240	264	6LTAA9.5G1	6	N.E.	46	500	300x110x210	2250	380*120*193	3600	A5	B5		
15C/440TNE	400	440	320	352	QSG12G2	6	N.E.	74	500	345x155x210	4250	485x185x255	5250	A5	B5		
15C/550T	500	546	400	440	QSX 15G8	6	II	79	500	345x155x210	4300	485x185x255	5300	A5	B5		
15C/700TNE	636	700	508	559	VTA 28G5	12	N.E.	104	500	345x155x230	5600	505x215x255	6470	A5	B5		
15C/900TNE	800	900	648	719	QSK 23G3	6	N.E.	121	500	410x200x240	6900	545x220x255	8650	A5	B5		
15C/1000TNE	910	1000	728	800	KTA38 G3	12	N.E.	151	500	500x210x260	7810	668x220x325	9360	A5	B5		
15C/1100TNE	1000	1100	800	880	KTA38 G5	12	N.E.	161	-	500x210x260	8000	668x220x325	9550	A5	B5		
15C/1400TNE	1275	1400	1020	1122	KTA 50G3	16	N.E.	199	-	500x210x260	11000	40' container	16500	A5	B5		
15C/1520TNE	1400	1520	1120	1232	KTA 50G8	16	N.E.	222	-	550x210x260	11300	40' container	16800	A5	B5		
15C/1650T	1500	1650	1200	1320	KTA50GS8	16	N.E.	254	-	600x225x320	11350	40' container	16850	A5	B5		
15C/1945TNE	1800	1944	1440	1584	QSK 60G3	16	N.E.	276	-	600x225x320	16000	40' container	21500	A5	B5		
15C/2235TNE	2034	2233	1627	1790	QSK 60G4	16	N.E.	291	-	600x225x320	16000	45' container	21500	A5	B5		



HIGH
TECHNOLOGY



CERTIFIED
QUALITY



USER FRIENDLY
CONTROL

www.bertolisrl.it



Kaba & Frères Group
POUR VOTRE SATISFACTION

KOHLER
GENERATORS  **LOMBARDINI**

MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK L	DIMENSIONI SKID SKID DIMENSIONS			DIMENSIONI CANOPY CANOPY DIMENSIONS			QUADRO PANEL	
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption		L	L, A, P L, W, H	PESO WEIGHT	L, A, P L, W, H	PESO WEIGHT	Man.		
	PRP	LTP	PRP	LTP				75%			CM	KG	CM	KG			
KOHLER LOMBARDINI																	
15L/6,5WTV	5	5,5	4	4,4	KDW 702	2	V	1,2	50	140x70x140	290	160x70x105	390	A3	B3		
15L/9WTV	8	8,8	6,56	7,2	KDW 1003	3	V	1,9	50	140x70x140	310	160x70x105	410	A3	B3		
15L/12WTV	11	12,1	8,96	9,76	KDW 1404	4	V	2,9	50	140x70x140	340	160x70x105	440	A3	B3		
15KO/22WTE	19,0	20,09	16	18	KDI1903M	3	V	3,7	70	140x70x140	500	160x70x105	590	A3	B3		
15KO/28WTE	25	27,5	20,3	22,4	KDI2504M	4	III	4,8	70	140x70x140	550	170x70x105	640	A3	B3		
15KO/33WTE	30	33	25	28	KDI2504TM-30-EU	4	III	6	70	165x85x165	670	200x85x128	800	A3	B3		
15KO/45WTE	36,9	40,6	33	36	KDI 2504TM-40-EU	4	III	7,6	70	165x85x165	700	200x85x128	830	A3	B3		
15KO/70WTE	62,2	68,4	50	56	KDI3404TM CAC	4	III	11,5	100	210x100x180	1000	230x105x159	1200	A3	B3		
15KO/70WTNE	61,7	67,9	50	56	KDI3404TM	4	N.E.	11,5	100	210x100x180	1000	230x105x159	1200	A3	B4		



HIGH
TECHNOLOGY



CERTIFIED
QUALITY



USER FRIENDLY
CONTROL

www.bertolisrl.it



Kaba & Frères Group
POUR VOTRE SATISFACTION

MOTEURS
Baudouin

MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK	DIMENSIONI SKID SKID DIMENSIONS	DIMENSIONI CANOPY CANOPY DIMENSIONS				QUADRO PANEL		
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption			L	L, P, A L, W, H	PESO WEIGHT	L, P, A L, W, H	PESO WEIGHT	Man.	Auto
	PRP	LTP	PRP	LTP													
BAUDOUIN																	
15BA/20TNE	18	20	15	16	4M06G20/5	4	N.E.	4	50	165x85x160	550	185x90x145	680	A3	B3		
15BA/25TNE	23	25	18	20	4M06G25/5	4	N.E.	5	50	165x85x160	570	200x95x145	700	A3	B3		
15BA/33TNE	30	33	26	28	4M06G35/5	4	N.E.	6	90	165x85x160	600	200x85x127,5	730	A3	B3		
15BA/44TNE	37,5	41	32	35	4M06G44/5	4	N.E.	7	90	165x85x160	660	200x85x127,5	790	A3	B3		
15BA/50TNE	45	50	36	40	4M06G50/5	4	N.E.	8	90	165x85x160	690	200x85x127,5	820	A3	B3		
15BA/55TNE	50	55	40	44	4M06G55/5	4	N.E.	8	90	165x85x160	720	200x85x127,5	880	A3	B3		
15BA/70TNE	62,5	69	52	57	4M10G70/5	4	N.E.	11	120	210x100x180	1000	230x105x159	1200	A4	B4		
15BA/90TNE	80	88	66	72	4M10G88/5	4	N.E.	13	120	210x100x180	1080	230x105x159	1280	A4	B4		
15BA/110TNE	100	110	88	96	4M10G110/5	4	N.E.	17	120	210x100x180	1270	230x105x159	1440	A4	B4		
15BA/165TNE	150	165	120	132	6M11G165/5	6	N.E.	24	250	240x110x200	1670	320x110x209	2020	A4	B4		
15BA/220TNE	200	220	160	176	6M16G220/5	6	N.E.	31	250	280x131x180	2500	370x140x225	3350	A5	B5		
15BA/250TNE	225	250	184	200	6M16G250/5	6	N.E.	37	500	295x155x210	2530	430x175x235	3380	A5	B5		
15BA/275TNE	250	275	200	220	6M16G275/5	6	N.E.	42	500	295x155x210	2630	430x175x235	3480	A5	B5		
15BA/330T	300	330	256	280	6M16G350/5	6	N.E.	48	500	295x155x210	2900	430x175x235	3750	A5	B5		
15BA/400TNE	350	385	280	308	6M21G400/5	6	N.E.	63	500	295x155x210	3020	430x175x235	3870	A5	B5		
15BA/440TNE	400	440	320	352	6M21G440/5	6	N.E.	63	500	295x155x210	3150	430x175x235	4000	A5	B5		
15BA/500TNE	450	495	360	400	6M21G500/5	6	N.E.	76	500	295x155x210	3250	430x175x235	4100	A5	B5		
15BA/550TNE	500	550	400	440	6M26G550/5	6	N.E.	78	500	345x155x230	5100	505x215x255	5970	A5	B5		
15BA/660TNE	600	660	480	528	6M33G660/5	6	N.E.	92	500	410x201x240	5800	545x220x255	7550	A5	B5		
15BA/715TNE	650	715	520	572	6M33G715/5	6	N.E.	102	500	410x201x240	6100	545x220x255	7850	A5	B5		
15BA/825TNE	750	825	600	660	6M33G825/5	6	N.E.	108	500	410x201x240	6200	545x220x255	7950	A5	B5		
15BA/880TNE	800	880	652	720	12M26G900/5	12	N.E.	130	500	500x210x260	7290	545x220x255	8640	A5	B5		
15BA/1000TNE	900	1000	652	720	12M26G1000/5	13	N.E.	130	500	500x210x261	7291	545x220x256	8641	A5	B5		
15BA/1120TNE	1020	1120	816	898	12M26G1100/5	12	N.E.	154	-	500x210x260	7690	545x220x255	9040	A5	B5		
15BA/1400TNE	1250	1400	1000	1120	12M33G1400/5	12	N.E.	191	-	500x210x260	9020	40' container		A5	B5		
15BA/1650TNE	1500	1650	1200	1360	16M33G1700/5	16	N.E.	242	-	500x210x260	11820	40' container		A5	B5		
15BA/1900TNE	1750	1900	1400	1520	16M33G1900/5	16	N.E.	275	-	500x210x260	12240	40' container		A5	B5		



www.bertolisrl.it



Kaba & Frères Group
POUR VOTRE SATISFACTION



MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK	DIMENSIONI SKID SKID DIMENSIONS		DIMENSIONI CANOPY CANOPY DIMENSIONS		QUADRO PANEL		
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption		L	L, P, A L, W, H	PESO WEIGHT	L, P, A L, W, H	PESO WEIGHT	Man.	Auto
	PRP	LTP	PRP	LTP				75%			CM	KG	CM	KG		
PERKINS																
15K/10TNE	9	9,9	7,2	7,92	403A-11G1	3	N.E.	2,3	50	130x70x100	360	175x70x112	475	A3	B3	
15K/10TE	9	9,9	7,2	8	403D-11G	3	III	2,3	50	130x70x100	360	175x70x112	475	A3	B3	
15K/15TNE	13	14,5	10,4	11,6	403A-15G1	3	N.E.	2,8	50	150x70x102	420	175x70x112	575	A3	B3	
15K/15TE	13	14	10,4	11,2	403D-15G	3	III	2,8	50	150x70x102	420	175x70x112	575	A3	B3	
15K/22TNE	20	22	16	17,6	404A-22G1	4	N.E.	4	50	150x70x102	470	175x70x112	640	A3	B3	
15K/22TE	20	22	16	17,6	404D-22G	4	III	4	50	150x70x102	470	175x70x112	640	A3	B3	
15K/33TNE	30	33	24	26,4	1103A-33G	3	N.E.	5,4	50	175x70x110	685	210x87x116	940	A4	B4	
15K/33TE	27	30	24	26,4	404D-22TG	3	III	5,4	50	175x70x110	685	210x87x116	940	A4	B4	
15K/50TNE	45	50	36	40	1103A-33TG1	3	N.E.	8,2	70	175x70x110	770	210x87x116	1020	A4	B4	
15K/66TE	60	66	48	52,8	1104D-44TG3	4	III	10,4	90	210x87x130	840	210x87x116	1045	A4	B4	
15K/66TNE	60	66	48	52,8	1103A-33TG2	3	N.E.	10,4	90	210x87x130	840	210x87x116	1045	A4	B4	
15K/88TNE	80	88	64	70,4	1104A-44TG2	4	N.E.	14	120	210x90x130	940	226x100x142	1315	A4	B4	
15K/110T	100	110	80	88	1104C-44TAG2	4	II	17,1	140	210x87x140	1115	226x100x142	1480	A4	B4	
15K/150TNE	135	148	108	118,4	1106A-70TG1	6	N.E.	22,7	200	250x100x140	1390	300x110x150	1890	A4	B4	
15K/165TNE	150	165	120	132	1106A-70TAG2	6	N.E.	24,7	220	250x100x140	1480	330x110x177	2050	A4	B4	
15K/200TNE	180	196	144	156,8	1106A-70TAG3	6	N.E.	31,8	260	285x100x140	1540	330x110x177	2160	A5	B5	
15K/220TNE	200	220	160	176	1106A-70TAG4	6	N.E.	34,7	280	285x100x165	1590	330x110x177	2140	A5	B5	
15K/275TNE	250	275	200	220	1206A-E70TTAG3	6	N.E.	41,5	300	300x110x150	2160	330x110x177	2510	A5	B5	
15K/385TNE	350	370	280	304	2206A-E13TAG2	6	N.E.	54	500	330x110x210	3300	395x130x213	3840	A5	B5	
15K/440TNE	400	437	320	348	2206A-E13TAG3	6	N.E.	62	500	330x110x210	3400	395x130x213	3900	A5	B5	
15K/550TNE	500	546	400	436	2506A-E15TAG2	6	N.E.	81	500	330x110x220	3430	450x145x219	4600	A5	B5	
15K/550TE	500	546	400	436	2506D-E15TAG2	6	III	76	500	330x110x220	3430	450x145x219	4600	A5	B5	
15K/660TNE	600	660	480	528	2806A-E18TAG1A	6	N.E.	90	500	340x140x220	4000	500x190x229	6200	A5	B5	
15K/700TNE	650	700	520	560	2806A-E18TAG2	6	N.E.	97	500	340x140x220	4280	500x190x229	5930	A5	B5	
15K/735TNE	680	735	544	588	2806A-E18TTAG4	6	N.E.	97	500	340x140x220	4280	500x190x229	5930	A5	B5	
15K/825TNE	750	825	600	660	2806A-E18TTAG5	6	N.E.	121	500	340x140x220	6000	500x190x229	8200	A5	B5	
15K/880TNE	800	874	640	704	4006-23TAG3A	6	N.E.	130	500	400x180x235	6250	585x190x235	9200	A5	B5	
15K/1000TNE	911	1002	720	800	4008-TAG1A	8	N.E.	139	500	480x205x220	7700	650x227x255	11000	A5	B5	
15K/1120TNE	1022	1120	800	896	4008-TAG2A	8	N.E.	160	-	480x205x220	7800	650x227x255	11400	A5	B5	
15K/1385TNE	1253	1385	1000	1100	4012-46TWG2A	12	N.E.	196	-	490x200x230	11600	40' container	17100	A5	B5	
15K/1650TNE	1500	1620	1200	1296	4012-46TAG2A	12	N.E.	237	-	520x220x250	12000	40' container	17500	A5	B5	
15K/1880TNE	1710	1880	1424	1560	4012-46TAG3A	12	N.E.	275	-	520x220x266	12400	40' container	18000	A5	B5	





Kaba & Frères Group
POUR VOTRE SATISFACTION

IVECO

MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK	DIMENSIONI SKID SKID DIMENSIONS		DIMENSIONI CANOPY CANOPY DIMENSIONS		QUADRO PANEL		
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption		L	L, P, A L, W, H	PESO WEIGHT	L, P, A L, W, H	PESO WEIGHT	Man.	Auto
	PRP	LTP	PRP	LTP				75%			CM	KG	CM	KG		
IVECO																
15F/33TNE	30	33	24	26,4	M80313AM1P	3	N.E.	5	80	140x80x130	630	200x90x135	850	A3	B3	
15F/33TE	30	33	24	26,4	F32SM1F	4	III	5	80	155x80x125	660	200x90x150	880	A3	B3	
15F/50T	45	49,5	36	39,6	N45 AM1A	4	II	9	100	160x80x130	700	220x100x145	920	A3	B3	
15F/55TNE	50	55	40	44	N45 AM2	4	N.E.	9	100	165x80x130	760	220x100x145	1000	A3	B3	
15F/66T	60	66	48	52,8	N45 SM1A	4	II	10	150	165x80x130	830	230x90x155	1100	A3	B3	
15F/66TE	60	66	48	52,8	N45 SM1F	4	III	10	190	180x95x150	900	250x105x170	1200	A3	B3	
15F/88TNE	80	88	64	70,4	N45 SM3	4	N.E.	15	190	180x90x140	840	240x100x155	1150	A4	B4	
15F/88TE	80	88	64	70,4	N45 TE1P	4	III	15	190	185x95x150	920	260x105x170	1240	A4	B4	
15F/110T	100	110	80	88	N45 TM2A	4	II	16	190	180x95x150	1020	260x105x170	1340	A4	B4	
15F/110TE	100	110	80	88	N45 TE2P	4	III	16	190	185x95x150	1020	260x105x170	1340	A4	B4	
15F/135TNE	120	132	96	105,6	N45 TM3	4	N.E.	21	190	190x95x150	1060	260x105x170	1380	A4	B4	
15F/140TNE	125	137	100	109,6	N67 SM1	6	N.E.	23	250	225x100x150	1200	300x120x170	1620	A4	B4	
15F/165TE	150	165	120	132	N67 TE1PV	6	III	29	250	230x100x140	1240	310x120x170	1660	A4	B4	
15F/180T	160	176	128	140,8	N67 TM3A	6	II	29	250	230x100x150	1240	310x120x170	1660	A4	B4	
15F/190TNE	170	187	136	150	N67 TM4	6	N.E.	29	300	230x100x150	1240	310x120x170	1660	A5	B5	
15F/190TE	170	187	136	149,6	N67 TE2PV	6	III	29	280	255x100x160	1430	310x120x170	1800	A5	B5	
15F/220T	200	220	160	176	N67 TE2A	6	II	37	320	255x100x160	1450	330x120x190	1910	A5	B5	
15F/220TE	200	220	160	176	N67 TE3PV	6	III	37	320	255x100x160	1450	330x120x190	1910	A5	B5	
15F/220TNE	200	220	160	176	N67 TM7	6	N.E.	37	320	255x100x160	1450	330x120x190	1910	A5	B5	
15F/275TE	250	275	200	220	C87 TE3F	6	III	41	400	295x120x170	2010	380x150x210	2500	A5	B5	
15F/275TNE	250	275	200	220	N67 TE8P	6	N.E.	41	500	275x100x160	1590	350x120x190	2070	A5	B5	
15F/330TE	300	330	240	264	C87 TE1PV	6	III	52	500	320x120x180	2550	370x150x220	3000	A5	B5	
15F/330TNE	300	330	240	264	C87 TE4	6	N.E.	52	500	310x120x170	2120	390x150x210	2640	A5	B5	
15F/385T	350	385	280	296	C13 TE2A	6	II	67	500	310x120x170	2390	400x150x210	3200	A5	B5	
15F/440T	400	437	320	349,6	C13 TE3A	6	II	70	500	320x130x190	2600	400x160x220	3220	A5	B5	
15F/440TE	400	437	320	349,6	C13 TE2F	6	III	70	500	320x130x190	2600	400x160x220	3220	A5	B5	
15F/500TNE	450	491	360	396	CR13TE6W	6	N.E.	80	500	320x130x190	2870	400x160x220	3500	A5	B5	
15F/550TNE	500	546	400	436,8	CR13TE7W	6	N.E.	80	500	320x130x190	2950	400x160x220	3580	A5	B5	
15F/660TNE	600	660	480	528	CR16TE1W	6	N.E.	84	500	340x130x190	3450	430x160x240	4150	A5	B5	



www.bertolisrl.it

MODELLO MODEL	POTENZA POWER				MOTORE ENGINE				SERBATOIO/TANK L	DIMENSIONI SKID SKID DIMENSIONS		DIMENSIONI CANOPY CANOPY DIMENSIONS		QUADRO PANEL		
	KVA		KW		Mod. Model	Cil. Cyl.	Emissions Stage	Consumo Consumption		L	P, A L, W, H	PESO WEIGHT	L, P, A L, W, H	PESO WEIGHT	Man.	Auto
	PRP	LTP	PRP	LTP				75%			CM	KG	CM	KG		
SCANIA																
15S/275TNE	250	275	200	220	DC09 072A 02 11	6	N.E.	39	400	275x100x160	2000	350x120x190	3150	A5	B5	
15S/300TNE	275	300	220	240	DC09 072A 02 12	6	N.E.	45	400	300x110x170	2100	390x150x220	3350	A5	B5	
15S/330TNE	300	330	240	264	DC09 072A 02 13	6	N.E.	49	400	300x110x170	2800	390x150x220	3450	A5	B5	
15S/385TNE	350	385	280	308	DC13 072A 02 11	6	N.E.	54	400	310x120x170	3000	400x150x210	3500	A5	B5	
15S/440TNE	400	440	320	352	DC13 072A 02 12	6	N.E.	61	500	320x130x190	3000	400x160x220	3500	A5	B5	
15S/500TNE	450	495	360	400	DC13 072A 02 13	6	N.E.	67	500	320x130x190	3100	400x160x220	3600	A5	B5	
15S/550TNE	500	550	400	440	DC13 072A 02 14	6	N.E.	72	500	320x130x190	3150	400x160x220	4000	A5	B5	
15S/600TNE	550	605	440	480	DC16 093A 02 52	8	N.E.	83	500	340x130x190	4000	430x160x240	5000	A5	B5	
15S/660TNE	600	660	480	528	DC16 078A 02 41	8	N.E.	91	500	340x130x190	4100	430x160x240	5100	A5	B5	
15S/715TNE	650	715	520	528	DC16 078A 02 42	8	N.E.	98	500	340x130x190	4300	430x160x240	5300	A5	B5	
15S/770TNE	700	770	560	616	DC16 078A 02 43	8	N.E.	106	500	340x130x190	4400	430x160x240	5400	A5	B5	